

SHERWOOD SCUBA
REMORA
STREAMLINE OCTO
OWNER'S MANUAL



COPYRIGHT SHERWOOD SCUBA
V1.02.2025
SherwoodScuba.com

SHERWOOD SCUBA



TABLE OF CONTENTS

1.0 INTRODUCTION	5
2.0 INITIAL SET UP	5
3.0 ROUTINE CARE AND MAINTENANCE	6
4.0 LIMITED LIFETIME WARRANTY	6
5.0 SERVICE RECORDS	7

REMORA

STREAMLINE OCTO

The Remora is not your conventional Octo, and that is what makes it so unique. With the mouthpiece “inline” with the housing and dual exhaust vents, the Remora design and functionality are one of a kind. There is simply nothing like it. The Remora also comes standard with its own Magentic Octo Keeper for convenient BC connectivity.

REMORA

- Streamline octo, with “inline” mouthpiece
- Dual exhaust vents
- Hi-Vis yellow 36” hose
- Magnetic octo keeper (Also sold separately as Part No. AKC-13)

PART NUMBERS

SRB8952 (Remora Octo)

This octopus is suitable for water temperatures warmer than 50°F (10°C).

1.0 INTRODUCTION

Thank you for choosing the Sherwood Remora Octo!

To get the most satisfying use of this product, please take time to read this entire manual to understand the use and limitations of the Remora Octo before you attempt to use it. If you have any questions contact your Authorized Sherwood Scuba Dealer for immediate attention or you may contact us at [Sherwood Scuba](#).

IMPORTANT NOTICE : The Remora Octo is an accessory product intended for use with Sherwood Scuba regulator. The Remora Octo may be compatible with scuba regulators from other manufacturers but you are advised to consult with an Authorized Sherwood Scuba Dealer before installing the Remora Octo with any other scuba equipment.

PLEASE READ CAREFULLY BEFORE ATTEMPTING TO USE THIS EQUIPMENT

1. Sherwood Scuba equipment is intended for use only by persons trained and certified by a nationally recognized scuba training agency. Diving without the specific training including safe diving practices and within the limits defined by the training agency exposes the user to extremely hazardous situations that could result in serious personal injury or death. This manual is not a substitute for the instruction needed to dive in a safe manner.

2. Sherwood octos must not be serviced by anyone untrained. To perform the correct service or repair procedures, return your equipment to an Authorized Sherwood Dealer. Any time the equipment appears to be performing incorrectly or when recommended service is needed, return your equipment to an Authorized Sherwood Scuba Dealer. Do not attempt to disassemble or modify the equipment. Equipment that is not properly serviced could lead to a malfunction during use with possible serious injury or death.

3. Nitrox use (Enriched Air Nitrox) - Requires specialized training to avoid hazards that could lead to serious personal injury or death. Be certain to read the information in this manual concerning Nitrox use.

4. Cold water use - Diving in water temperatures less than 50°F (10°C) can impose operational limits affecting the reliable operation of the equipment. Be certain to read the information concerning cold water diving before attempting to use the equipment under such conditions.

2.0 INITIAL SET UP

Your Sherwood octo provides options for the attachment of accessories such as the submersible pressure gauge or dive computer, the buoyancy compensator inflator air supply and the alternate air source (octo). Sherwood recommends that you consult your Authorized Sherwood Scuba Dealer to install these accessories for you.

3.0 ROUTINE CARE AND MAINTENANCE

The best time to clean your octo is as soon as possible after concluding diving activity for the day. Delayed rinsing of the equipment increases the opportunity for corrosion or deposits to form which eventually may degrade performance of the octo. If possible, you should rinse the regulator while it is still pressurized. This minimizes opportunities for contaminants to reach interior passages of the octo. If you are not able to leave the unit pressurized for rinsing, then be certain to replace the first stage inlet protector (Dust Cap) before rinsing. During the rinsing process do not depress the second stage purge as this will open the demand valve and provide an opportunity for contaminants to enter the valve sealing area. Dry the octo before long term storage.

The Remora Octo should be inspected by an Authorized Sherwood Dealer at minimum annually or anytime you suspect that performance has decreased or damage may be present. It is also recommended that your regulator receive a factory recommended service overhaul every other year or after 300 hours of use, whichever comes first. Your regulator may need service sooner depending on the severity of the environmental conditions or level of user care and cleaning. Each service your Authorized Sherwood Scuba Dealer is required to register the service [here](#). Ask your dealer to print you a copy of the service registration, as record of the service. If the regulator is used for rental or training purposes, it will require complete overhaul and factory prescribed service every three to six months. Chlorinated swimming pool water is an especially damaging environment for SCUBA equipment, due to high levels of chlorine and pH balancing chemicals that cause certain components for rapidly deteriorate.

4.0 LIMITED LIFETIME WARRANTY

In order to use this warranty, you must provide proof of purchase from an Authorized Sherwood Scuba Dealer. Save your receipts as proof of purchase. If you are unsure as to whether a dealer is authorized, contact us [here](#) for verification. Sherwood Scuba warrants that the Sherwood regulator purchased from Authorized Sherwood Scuba Dealers shall be free of defects in workmanship and materials for the lifetime of the regulator to the original purchaser. Under this warranty, Sherwood Scuba will either repair or replace, as its sole option, any original parts that fail to perform as intended.

This warranty excludes products subject to abuse, neglect, alterations or improper unauthorized service. Warranty also excludes parts subject to wear such as hoses, mouthpieces, seals and metal parts with mild corrosion from exposure to seawater. Under this warranty plan Sherwood will replace warranted parts but the labor to replace parts but the labor to replace parts is excluded and the responsibility of the owner. To maintain your Parts Warranty please have your Authorized Sherwood Scuba Dealer register each inspection and service [here](#).

REMORA OCTO

5.0 SERVICE RECORDS

OCTOPUS SERIAL NUMBER : _____

DATE OF PURCHASE : _____

BELOW TO BE FILLED IN BY AN AUTHORIZED SHERWOOD SCUBA DEALER :

DATE	DEALER/TECHNICIAN	ADDRESS	SIGNATURE

[CLICK HERE TO DIGITALLY ENTER SERVICE RECORDS](#)

**COPYRIGHT SHERWOOD SCUBA
V1.02.2025
SherwoodScuba.com**